

CENTERS FOR MEDICARE & MEDICAID SERVICES  
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF WAIVER

LABORATORY NAME AND ADDRESS

CINCINNATI CHILDREN'S PRIMARY CARE BURNET AVE  
(MOB)  
3430 BURNET AVENUE  
CLINICAL LAB ROOM 2404  
CINCINNATI, OH 45229

CLIA ID NUMBER

36D2187319

EFFECTIVE DATE

02/22/2024

LABORATORY DIRECTOR

DR. DOMINICK DEBLASIO

EXPIRATION DATE

02/21/2026

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



A handwritten signature in blue ink, appearing to read "Gregg Brandush".

Gregg Brandush, Director  
Division of Clinical Laboratory Improvement & Quality  
Quality & Safety Oversight Group  
Center for Clinical Standards and Quality

If this is a Certificate of Waiver, it certifies the laboratory to perform only examinations or procedures that have been approved as waived tests by the Department of Health and Human Services.

PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.  
FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT [WWW.CMS.GOV/CLIA](http://WWW.CMS.GOV/CLIA).