CENTERS FOR MEDICARE & MEDICAID SERVICES CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF WAIVER

LABORATORY NAME AND ADDRESS

CINCINNATI CHILDREN'S SOUTHGATE PRIMAR 525 ALEXANDRIA PIKE, SUITE 320 SOUTHGATE, KY 41071

LABORATORY DIRECTOR

JAMES OTREMBIAK M.D.

CLIA ID NUMBER

18D0670496

EFFECTIVE DATE

02/02/2024 EXPIRATION DATE

02/01/2026

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Gregg Brandush, Director

Division of Clinical Laboratory Improvement & Quality

Quality & Safety Oversight Group Center for Clinical Standards and Quality

- If this is a <u>Certificate of Registration</u>, it represents only the enrollment of the laboratory in the CLIA program and does not indicate a Federal certification of compliance with other CLIA requirements. The laboratory is permitted to begin testing upon receipt of this certificate, but is not determined to be in compliance until a survey is successfully completed.
- If this is a <u>Certificate for Provider-Performed Microscopy Procedures</u>, it certifies the laboratory to perform only those
 laboratory procedures that have been specified as provider-performed microscopy procedures and, if applicable,
 examinations or procedures that have been approved as waived tests by the Department of Health and Human Services.
- If this is a <u>Certificate of Waiver</u>, it certifies the laboratory to perform only examinations or procedures that have been approved as waived tests by the Department of Health and Human Services.



